



PATENT

In re: Bezuidenhout Group Art: 2184
Appl No.: 10/608,729
Filed: June 27, 2003
For: EMAIL GATEWAY DIAGNOSTIC TOOL, SYSTEM AND METHOD

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUBMITTAL OF CORRECTED DRAWINGS UNDER 37 CFR § 1.84

Enclosed herewith is one set (fifteen replacement sheets) of new, substitute drawings in accordance with 37 C.F.R. § 1.84. These substitute drawings are provided to replace the informal drawings originally filed with the application in grayscale, which the Applicant has determined were not accurately reproduced from the drawings originally filed when included in the electronic Image File Wrapper system by the U.S. Patent & Trademark Office (USPTO) and, therefore, may not be of such condition as to permit reasonable examination of the application, , even though the drawings were reasonably accurately reproduced in U.S. Patent Application Publication No. US 2004/0236999. The substitute drawings are black and white drawings using solid lines of black ink. Applicant submits that these substitute drawings do not introduce any new matter. Applicant requests that these substitute drawings be substituted for the originally filed drawings.

In re: Bezuidenhout
Appl. No. 10/608,729
Page 2

Respectfully submitted,




Christopher J. Gegg
Registration No. 50,857

Customer No. 00826
ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000
Fax Charlotte Office (704) 444-1111

#4704607v1

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on April 6, 2005.


Joyce D. Smith